

Date			
I. Please help us better understand your o	child with special ne	eeds	
Child's name	Grade	Age	_ M F
Child lives with:both parentsmother	rfather		
guardian			
Father's/Guardian's name	Cell #_		
Mother's/Guardian's name	Cell #		
Primary Parent/Guardian's Email Address:			
Child's primary health concerns we should be	aware of:		
2. CARE NEEDS VISION:TypicalImpairedBlin HEARING:TypicalImpairedDe MOTOR:Head controlRolls over USES:WalkerCrutchesBrain Please describe any special positioning needs	eafHearing Aid SitsCrawls acesWheelcha	Walks ir	
3. CAN COMMUNICATE WITH OTHERS USING: Speech:WordsPhrasesSentence Language Other (describe):	ces Babbles	_Gestures	Sign
CAN UNDERSTAND WHAT OTHERS SAY:All theRecognizes voices of family members.	he timeMost o	f the timeSc	me of the time
ALLERGIES: (Drugs, Food, Other)			
4. EATING HABITS: Feeds self by using:spoo Bottle fedDrinks from a			quires feeding

5. TOILETING SKILLS:
Toilets independentlyDiapers:ClothDisposableCurrently being potty trainedPotty trained, needs assistance
Requires catheterization Frequency/Schedule:
How does your child indicate a need to use the toilet?
Indicate special toileting needs/schedule:
6. BEHAVIOR: (check all that apply) ShyOutgoing
My child is best comforted by:
My child lets someone know what he/she wants or needs by:
What type of play activities does your child enjoy and/or participate in?
My child becomes upset when/or does not enjoy:
Are there any additional concerns not already addressed:
SIGNED: DATE: Parent or Guardian



Emergency Release Form

In the event of a serious accident or cannot be reached, I hereby author professionals listed below to provid	ize the school to contact	the physician or dent	
Physician / Dentist Name	Phone Number	1	Address
,			
In the event of an EMERGENCY I, Dreamplex will call the 911 Emerge permission for the school to provide treatment, and transport to the nea medical personnel and staff to initia notified of my child's condition and the admitting facility notify one of t agree to be financially responsible f I have reviewed the above informat Call Doctor Call 911 Ride in Ambulance if neede Treat My Emergency Contacts if I am not	ncy Medical System imme e medical information to arest appropriate facility. ate treatment upon arriva admission as soon as pos the other persons listed of for my child's treatment a tion and give permission to	ediately. To expedite the responding emer I give my permission all to the appropriate is sible. If I cannot be ref my child's condition and transport.	care I give my gency team to initiate for the appropriate facility. I request to be eached, I request that
Last Name	First Name	Relationship	Phone Number
Parent Signature			Date
Print Parent's Name			



CHILD CARE ASTHMA/ALLERGY ACTION CARD





ID Photo

Name:			DAILY ASTHM	IA/ALLERGY MA	ANAGEMENT	PLAN	Photo	
Grade:	DOB:							
Parent/Guardian Name:			(Check each that	t applies to the child)				
Address:			— Animals -	— Bee/Insect Sting	— Chalk Dust	— Chan	ge in Temperature	
Phone (H):	(W):		— Dust Mites -	— Exercise	— Latex	— Mold	s	
Parent/Guardian Name:			— Pollens –	- Respiratory Infection	ns — Smoke	— Stron	g Odors	
Address:			— Food:					
Phone (H):	(W):							
Other Contact Information:			Comments:					
Emergency Phone Contact #1Name								
			• Peak Flow Mon	nitoring (for children o	ver 4 years old)			
Relationship	Phone		D 1D (D	1.51 1'				
Emergency Phone Contact #2 Name				eak Flow reading:				
Relationship	Phone		Monitoring Time	es:				
Physician Child Sees for Asthma/Allerg	gies:		Control of Chile	d Care Environment	(List any environn	nental cont	rol measures, pre-	
Phone:				d/or dietary restrictions			_	
Other Physician:						•	-	
Phone:			1 /					
Daily Medication Plan for Asthm								
Name		Amount	1	When	n to Use			
1								
2								
3								
4								
OUTSIDE ACTIVITY AND F	IELD TRIPS The follo	wing medications must accom	nany child when participatin	or in outside activity and fiel	d trine:		•	
Name	TEED TRITS THE TOHO	Amount	pany child when participathi		n to Use			
1								
2								
3								

ASTHMA EMERGENCY PLAN Emergency action is necessary when the child has symptoms such as		ALLERGY EMERO Child is allergic to:			
has a peak flow reading at o	or below				
Steps to take during an as	sthma episode:		• Steps to take during	an allergy episode:	
 Check peak flow reading (if child uses a peak flow meter). Give medications as listed below. 		1. If the following s	symptoms occur, give the	e medications listed below.	
		2. Contact Emerger	ncy help and request epir	nephrine.	
3. Check for decreased sy	ymptoms and/or increas	sed peak flow reading.	3. Contact the child	's parent/guardian.	
4. Allow child to stay at	child care setting if:		_		
5. Contact parent/guardia	an		Symptoms of an alle	rgic reaction include:	
6. Seek emergency medic	cal care if the child has	any one of the following:	(Physician, pleas	e circle those that apply))
➤ Child hunched➤ Child strugglin→ Trouble walking o	dication. low ag with: pulled in with breathin over. g to breathe. r talking. cannot start activity aga are gray or blue.	HAPP EME HEL	THIS PENS, GET PROENCY PROW! Emergency Allergy	tongue, mout hoarseness; c →Skin: hives; it →Gut: nausea; a diarrhea →Lung*: shortr →Heart: pulse i *If child has asth need to be treat	tchy rash; swelling abdominal cramps; vomiting; ness of breath; coughing; wheezing is hard to detect; "passing out" nma, asthma symptoms may also
Name	Amount	When to Use	Name	Amount	When to Use
ivanic	Amount	when to osc	1	Amount	when to osc
			2		
			3		
			4		
Special Instructions:			Special Instructions	:	
sician's Signature	Date	Parent/Guardian's Signature	Date	Child Care Provider's Si	ignature D



Medication Administration Authorization Form

The policy is medication will only be administered if it has been prescribed by a qualified medical practicionor, is in it's original container and I have a signed permission form with directions.

I,(Parent's name)	, author	rize		
(Parent's name))	(Ca	are provider's name)	
to adminsiter(Medica		to my child		
(Medica	ation)		(Child's name)	
with the following instructions	:			
Dosage:				
Time(s):				
Special Instructions (ie: on ful	ll/empty stomach,	etc.)		
Possible Side Effects:				
Parent Signature		Date		
Time and date administered:				
Date	Time		Provider Initials	

MY SEIZURE PLAN

Name:	t:		PI Re	hone: elation: mail: elation:	
Seizure Type/Nickname	W	/hat Happens		How Long It Lasts	How Often
TRIGGERS					
DAILY SEIZURE MEDICI	NE				
Medicine Name	Total Daily Amount	Amount of Tab/Liquid	How Taken	(time of each dose a	and how much)
OTHER SEIZURE TREAT Device Type: Diatery Therapy: Special Instructions: Other Therapy:	Model:			Date Begun:	
TRIGGERS DAILY SEIZURE MEDICI Medicine Name OTHER SEIZURE TREA Device Type: Diatery Therapy:	INE Total Daily Amount TMENTS Model:	Amount of Tab/Liquid	Serial#:	Lasts (time of each dose a Date Implant Date Begun:	and how much)

MY SEIZURE PLAN

SEIZURE FIRST AID Keep calm, provide re Keep airway clear, tur Keep safe, remove of Time, observe, record Stay with person until Other care needed: WHEN SEIZURES REQU Type of Emerge (long, clusters or repea	rn on side if pos ojects, do not re I what happens recovered from IRE ADDITION	ssible, nothi estrain s n seizure			What to Do
"AS NEEDED" TREATM	ENTS (VNS ma	agnet, med	licines)		
Name	Amount to	o Give	When to Give		How to Give
CALL 911 OR SEEK EM ☐ Generalized seizure le ☐ Two or more seizures ☐ "As needed" treatmen ☐ Injury occurs or is sus ☐ Breathing, heart rate e ☐ Unexplained fever or ☐ Other care needed:	onger than 5 m without recovents don't work spected, or seiz or behavior doe pain, hours or t	inutes ering betwee cure occurs esn't return t	en seizures in water to normal er a seizure		
Nurse/Other Health Care Preferred Hospital: PCP or Other Doctor: Pharmacy:	Provider:		Phon Phon Phon Phon	e: e: e:	
My signature		Prov	vider signature		Date

Parent School Health Information

Too Sick for School Guidelines

When should your child stay home from school and when should parents be called to pick up their child from school?

Children sent to school when they are sick cannot concentrate on content being taught in the classroom. Teachers are concerned with the health and safety issues of all children, but their main objective is to provide the best education for the children. If a teacher has to concentrate on taking care of a sick child in the classroom, this takes away valuable educational time. When there is a clinic on campus, this clinic is to maintain your child for a short period of time only. When a parent is notified their child is not well it is the parents responsibility to pick up the child within an hour. It is best practice to keep your child at home when he/she complains of feeling sick. Please remember to always provide current home, work and emergency telephone numbers where you may be reached in the event your child is sick and needs to come home. If you do not have a home or work phone we need the number of a relative or neighbor that can contact you when necessary. We understand parents must work, but arrangements need to be made for someone to pick up your child in the event of illness at school. If a child becomes very ill at school and the parents cannot be reached it may become necessary to call 911 to take the child for medical attention at parent expense.

- 1. A runny nose is the way many children respond to pollen, dust, chalk, or simply change of season. If it isn't a common cold, then it is possibly allergies and allergies are not contagious. The child should not miss school unless the allergic responses are severe enough to cause respiratory difficulty. Parents should send an adequate supply of tissues for the child to use during the day.
- 2. A bad cold or cold symptoms can indicate a severe cold, bronchitis, flu or even pneumonia. Some children may be unfortunate enough to suffer one cold after the other during the season and a common cold should not be a reason to miss school. However, good hand washing techniques, and covering the mouth and nose when coughing and sneezing should be taught and encouraged by parents as well as school personnel. Tissues should be sent to school for the child to use during the day. If the child is not acting as usual, has difficulty breathing or is becoming dehydrated, it could be serious and a visit to the child's doctor is highly recommended. Rest and plenty of fluids are always encouraged.

3. Diarrhea and vomiting make children very uncomfortable, and being near a bathroom becomes a top priority. If a child has one episode of diarrhea or vomiting, does not have a temperature and no other episode occurs the child may stay in school. However, if there are repeated episodes of either diarrhea or vomiting the child should be picked up by the parent. If the child has diarrhea and vomiting, accompanied by fever, a rash or general weakness, consulting the child's doctor is highly recommended. If any of these symptoms are present before school the parent should not send the child to school. A child can easily become dehydrated and malnourished when diarrhea and vomiting persist and can lead to a very serious, life-threatening situation for the child.

IF A SICK CHILD IS TAKEN TO THE DOCTOR, PLEASE REQUEST A NOTE FROM THE DOCTOR STATING THAT HE/SHE MAY RETURN TO SCHOOL. THIS NOTE SHOULD ALSO INCLUDE DIET RESTRICTIONS AND ANY LIMITATIONS THAT MAY BE NECESSARY.

- 4. An elevated temperature of 100° or above is an important symptom, when it occurs along with a sore throat, an earache, nausea, listlessness, or a rash the child may be carrying something contagious. Students with a fever greater than 100° may not return to school until fever free for 24 hours <u>without</u> fever reducing medicine.
- 5. Strep throat and Scarlet fever are two highly contagious conditions caused by a Streptococcal (bacterial) infection, the two conditions usually are recognized by a sore throat and high fever, a rash will also appear. A child with either Strep throat or Scarlet fever should be kept at home. A parent will usually take a child to the doctor for these conditions and the parent should request a medical release for the child to return to school.
- 6. Chicken Pox, a viral infection is not life threatening to most children, but it is very uncomfortable and extremely contagious. The child may have a fever, is itching and begins to have pink or red spots (with watery fluid centers) on the back, chest, and or face; the chances are it is chicken pox. Please notify the school if your child is diagnosed with chicken pox. It is very important that schools are made aware because some children have low functioning immune systems and chicken pox could be life threatening for them. The child with this illness should be kept at home for at least one week from the first time symptoms appeared and at least two days after the last spot appeared, whichever period is longer. The rash spots should be dry and scabbed over before returning to school.
- 7. Measles (Rubeola) is a viral infection that attacks a child's respiratory system, causing a dry hacking cough, general weakness, red inflamed eyes and fever. If these symptoms appear, the child should be kept at home and seen be the

child's physician immediately to prevent more serious complications. If it is a doctor confirms it is a case of measles, please notify the school so we can be alert for the symptoms in other children. The measles rash of tiny hard bumps will appear on the child's face, behind the ears and down the body. Your child's doctor must report this disease to the local Health Department. The doctor will usually advise the parents to keep the child at home several days after the rash has disappeared. WITH PROPER IMMUNIZATIONS WE HOPE THIS DISEASE WILL NO LONGER BE A PROBLEM FOR CHILDREN.

- 8. Conjunctivitis or pink eye is highly contagious and uncomfortable, so be aware that if your child complains of eyes burning, itching and produces a whitish discharge, the eyelashes may be matted together upon arising in the morning from sleep. Minor cases (caused by virus) and severe cases (caused by bacteria) require treatment with eye drops prescribed by the doctor. Please request the doctor provide a medical release for the child to return to school.
- 9. Ear infections are also contagious and, unless properly treated can cause permanent hearing damage and loss. This condition should have a doctor's evaluation. Antibiotics are usually ordered and the child should be without discharge from the ear and fever for 24 hours before returning to school. It is best to ask the doctor for a release for the child to return to school.
- 10. Mites and lice once brought into the home or school can quickly produce an epidemic of itching and scratching. Mites are tiny insects in the same class as spiders and ticks; they irritate the skin and cause scabies. Lice are tiny parasites (like ticks) that thrive on warm, damp scalps of children and adults. Caution your child and family members against sharing anyone's comb brush, clothes, helmets, hats, caps, scarves, or any other personal item. If your child or family member becomes a host to mites you will need to consult your physician. If it is a situation with head lice you may check with the doctor, local Health Department. Your child's school has information available for treating a head lice problem. Lice cannot survive longer than 48 hours away from the human host.

LAKE COUNTY SCHOOLS HAS A NO NIT POLICY, SO IF YOUR CHILD HAS LICE, HE/SHE MAY NOT RETURN TO SCHOOL UNTIL ALL LICE AND NITS ARE REMOVED.

11. Scabies is usually treated with a medication ordered by the doctor. Please ask the doctor for a release for when the child may return to school.



MEDIA CONSENT FORM AND RELEASE FOR MINOR CHILDREN

I am the parent/guardian of	es, digital images or videotapes or reproductions thereof in t not limited to use in any
I hereby waive any right that I may have to inspect and/or approve that may be used in connection therewith, wherein My Child's liken may be applied.	the finished product or the copy ess appears, or the use to which it
I hereby release, discharge, and agree to indemnify and hold harmle LLC, and their agents from all claims, demands, and causes of action have by reason of this authorization or use of My Child's photograp images or videotapes, including any liability by virtue of any blurrir illusion, or use in composite form, whether intentional or otherwise in the taking of said images or videotapes, or in processing tending finished product, including publication on the internet, in brochure promotional materials.	n that I or My Child have or may hic portraits, pictures, digital ng, distortion, alteration, optical e, that may occur or be produced towards the completion of the
I represent that I am at least eighteen (18) years of age and am fully	competent to sign this Release.
THIS IS A RELEASE OF LEGAL RIGH READ IT CAREFULLY AND BE CERTAIN YOU UNDERSTA	
(Both parents, if possible)	
PLEASE CHECK ONE OF THE BOXES BELOW THEN SIGN YOUR N	AME(S)
CONSENT: We/I hereby certify that We/I are/am the parent(s) named child and do hereby give our/my consent without reservation. Child.	
□ NONCONSENT: We/I hereby certify that We/I are/am the pabove named child and do not hereby give our/my consent without behalf of My Child.	
(Guardian's Signature)	(Date)
(Gizzigizi): Printed (Frame)	(Primary Phone Number)

2400 S Hwy 27 Building B, Suite B201 Clermont, FL 34711. www.cfldreamplex.com | info@cfldreamplex.com



Dreamplex After Care

Payment Instructions

- After Care Payments are expected to be paid online in advance of the attended day(s) or week.
- Payments should be made at www.cfldreamplex.com/donate/afterschooldreamcare
- Please note the day(s) or week(s) being paid for in the "Order Notes" at checkout.
- If payment is not received by the Monday following the attended day(s) or week, the credit card listed below will be charged.

Parent/Child Billing Profile

The information below will be used to create a parent/child profile in our secure billing system.

This form will be destroyed after the profile is created for privacy and security purposes.

Child Name		Parent Name	
Name on Credit Card			
Credit Card Number			
Exp. Date	CVV		
Billing Address:			
(Street)			-
(City)	(State	<u>.</u> :)	(Zip)
Billing Phone:			